

TOTAL
WAREHOUSE

EQUIPMENT APPLICATIONS

DESIGNED WITH YOUR NEEDS IN MIND.

Linde forklifts excel in applications ranging from heavy-load handling in large warehouses to precise, efficient movement in busy retail settings. Whatever your operational needs, Total Warehouse is the trusted partner for thousands of businesses seeking fast, reliable equipment solutions.

With unmatched industry expertise and a commitment to understanding your unique challenges, partnering with Total Warehouse means getting the best equipment at the best price for all warehouse applications.

TOTALWAREHOUSE.COM/LINDE-FORKLIFTS

Linde
Material Handling



LINDE 5231 SEREIS
VNA TURRET TRUCK

TW

EQUIPMENT APPLICATIONS

ELECTRIC SIT DOWN FORKLIFTS

Linde 346 E18_20 Series:

○ Tightest turning radius for a Sit Down truck

Linde 346 E18C_E20P Series:

○ Great Indoor forklift for most applications.

Linde 1347 Series:

○ Great mid capacity workhorse for most applications.

Linde 388 Series:

○ Best electric truck for heavy duty, outdoor applications.



LINDE 346 E18_E20 SERIES
3-WHEEL COUNTERBALANCE TRUCK

Capacity	3,500 - 4,000 lbs
Lift Height	10 - 23 ft
Aisle Width	Fits in 11 ft Aisles



LINDE E18C_E20P SERIES
4-WHEEL COUNTERBALANCE TRUCK

Capacity	3,5000 - 4,000 lbs
Lift Height	10 - 23 ft
Aisle Width	Fits in 11 ft Aisles



LINDE 1347 SERIES
MID CAPACITY ELECTRIC TRUCK

Capacity	5,000 - 6,500 lbs
Lift Height	10 - 25 ft
Aisle Width	Fits in 12-14 ft Aisles



LINDE 388 SERIES
HIGH CAPACITY ELECTRIC TRUCK

Capacity	7,500 - 11,000 lbs
Lift Height	19 - 28 ft
Aisle Width	Fits in 14 ft Aisles

EQUIPMENT APPLICATIONS

LPG SIT DOWN FORKLIFTS



LINDE 391 SERIES MID CAPACITY TRUCK

Capacity	3,000 - 4,000 lbs
Lift Height	24 ft
Aisle Width	Fits in 9-10 ft Aisles

Great agile LPG workhorse for most warehouse applications.



LINDE H30 SERIES HIGH PERFORMANCE TRUCK

Capacity	4,500 - 7,000 lbs
Lift Height	22 ft
Aisle Width	Fits in 9-10 ft Aisles

Great high capacity and agile LPG option for warehouse applications.



LINDE 1202 SERIES HIGH PERFORMANCE TRUCK

Capacity	4,500 - 7,000 lbs
Lift Height	22 ft
Aisle Width	Fits in 9-10 ft Aisles

Great LPG truck for heavy duty, rugged outdoor applications.



LINDE H50 SERIES HIGH PERFORMANCE TRUCK

Capacity	11,000 lbs
Lift Height	25 ft
Aisle Width	Fits in 9-10 ft Aisles

Great LPG truck for heavy duty, rugged outdoor applications.



LINDE 1411 SERIES HIGHEST CAPACITY TRUCK

Capacity	36,000 lbs
Lift Height	28 ft
Aisle Width	Fits in 14 ft Aisles

Best choice for warehouse applications handling very heavy loads



LINDE H120 SERIES HIGHEST CAPACITY TRUCK

Capacity	39,000 lbs
Lift Height	31 ft
Aisle Width	Fits in 15 ft Aisles

Best choice for very heavy and rugged outdoor applications

SIT DOWN FORKLIFTS	Linde E18/20	Linde 1347	Linde 388	Linde 391	Linde H30	Linde 1202	Linde H50	Linde 1411	Linde H120
Wholesale Distribution	X	X	X	X	X	X	X		
Refrigerated Warehousing	X	X	X	X	X	X	X		
Grocery/Specialty Retail	X	X							
Food/Beverage Wholesale Goods	X	X	X	X	X	X	X		
Fulfillment Center	X	X							
Distribution Center	X	X	X	X	X	X	X	X	X
Durable Wholesale Goods	X	X	X	X	X	X	X	X	X
Non-Durable Wholesale Goods	X	X	X	X	X	X	X		
Order Picking									
Dock Work	X	X	X	X	X	X	X		
Warehousing/3PL	X	X						X	X
Rubber + Plastic Manufacturing	X	X	X		X		X		
Agricultural			X	X	X	X	X	X	X
CYCLES									
Heavy Duty Options	X	X	X	X	X	X	X	X	X
Light Duty Options	X	X	X	X	X	X	X		
TRAVEL									
Narrow Aisles									
Cross Docking (Dock to Dock)	X	X	X	X	X	X	X	X	X
Dock to Stock (Dock to Storage)	X	X	X	X	X	X	X	X	X

This brochure provides a general overview of how material handling equipment might be used in various applications. It is not intended as an instructional guide. Always refer to your equipment's official manual for detailed instructions, proper usage guidelines, and safety procedures specific to your machinery.

TW

EQUIPMENT APPLICATIONS

STAND UP/REACH TRUCKS

Linde 1346 Series:

Great for dock to stock travel and easy exit and entry.

Linde 5195 Single Reach Series:

Best option for narrow aisles and high racking.

Linde 5195 Double Reach Series:

Best option for narrow aisles and high/double deep racking.

Linde 116 Series:

Great option for narrow aisles and high racking.



LINDE 1346 SERIES
ELECTRIC COUNTERBALANCE TRUCK

Capacity	3,000 - 4,000 lbs
Lift Height	22 ft
Aisle Width	Fits in 10 ft Aisles



LINDE 5195 SERIES (R15/17/22SXD)
ELECTRIC DEEP REACH TRUCK

Capacity	3,000 - 4,500 lbs 15 -
Lift Height	42 ft
Aisle Width	Fits in 9-10 ft Aisles



LINDE 5195 SERIES (R17/22SXD)
ELECTRIC DOUBLE DEEP REACH TRUCK

Capacity	3,000 - 4,500 lbs 15 -
Lift Height	42 ft
Aisle Width	Fits in 9-10 ft Aisles



LINDE 116 SERIES
HIGH REACH COUNTERBALANCE TRUCK

Capacity	3,000 - 3,500 lbs
Lift Height	18 - 45 ft
Aisle Width	Fits in 8 ft Aisles

STAND UP/REACH FORKLIFTS	Linde 1346	Linde 5195 Single	Linde 5195 Double	Linde 116
Wholesale Distribution	X	X	X	X
Refrigerated Warehousing	X	X	X	X
Grocery/Specialty Retail	X			
Food/Beverage Wholesale Goods	X	X		
Fulfillment Center	X	X	X	X
Distribution Center	X	X	X	X
Durable Wholesale Goods	X	X	X	X
Non-Durable Wholesale Goods	X	X	X	X
Order Picking				
Dock Work	X	X	X	X
Warehousing/3PL	X	X	X	X
Rubber + Plastic Manufacturing	X			
Agricultural				
CYCLES				
Heavy Duty Option	X	X	X	X
Light Duty Option	X	X	X	X
TRAVEL				
Narrow Aisles		X	X	X

This brochure provides a general overview of how material handling equipment might be used in various applications. It is not intended as an instructional guide. Always refer to your equipment's official manual for detailed instructions, proper usage guidelines, and safety procedures specific to your machinery.

EQUIPMENT APPLICATIONS

ELECTRIC PALLET JACKS



BEST WALKIE/RIDER JACK OPTION!

● LINDE 1101 SERIES ELECTRIC RIDER PALLET TRUCK

Capacity	8,000 lbs
Run Time Charge Time	8 hrs 4 hrs
Aisle Width	Fits in 10 ft Aisles

- **Electric Power Steering:** Enhances maneuverability and reduces operator fatigue.
- **Compact Design:** Ideal for tight warehouse spaces.
- **AC Drive Motor:** Provides smooth acceleration and energy efficiency.
- **Heavy-Duty Chassis:** Built for high-intensity operations.
- **Regenerative Braking:** Improves control and extends battery life.
- **Less Maintenance:** Reliable and durable build reduce downtime.



● LINDE MT20 SERIES MID CAPACITY PALLET JACK

Capacity	4,500 lbs
Run Time Charge Time	8 hrs 4 hrs
Aisle Width	Fits in 6 ft Aisles

Best all around electric pallet jack for most applications.



● LINDE MT18 SERIES MID CAPACITY PALLET JACK

Capacity	4,000 lbs
Run Time Charge Time	8 hrs 4 hrs
Aisle Width	Fits in 6 ft Aisles

Great walkie jack for regular use in small to mid-size warehouses.



● LINDE MT12 SERIES LIGHTWEIGHT PALLET TRUCK

Capacity	2,600 lbs
Run Time Charge Time	3 hrs 2.5 hrs
Aisle Width	Fits in 5 ft Aisles

Great value unit for light duty applications for warehouses and retail.



● LINDE MT22 SERIES MID CAPACITY PALLET JACK

Capacity	4,500 lbs
Run Time Charge Time	8 hrs 4 hrs
Aisle Width	Fits in 6 ft Aisles

Great walkie jack for regular use in mid-size to large warehouses.

ELECTRIC PALLET TRUCKS	Linde 1101	Linde MT20	Linde MT18	Linde MT12	Linde MT22
Wholesale Distribution	X	X	X	X	X
Refrigerated Warehousing				X	
Grocery/Specialty Retail	X	X	X	X	X
Food/Beverage Wholesale Goods	X	X	X	X	X
Fulfillment Center	X	X	X	X	X
Distribution Center	X	X	X	X	X
Durable Wholesale Goods	X	X	X	X	X
Non-Durable Wholesale Goods	X	X	X	X	X
Order Picking	X	X	X	X	X
Dock Work	X	X	X	X	X
Warehousing/3PL	X	X	X	X	X
Rubber + Plastic Manufacturing					
Agricultural					
CYCLES					
Heavy Duty Options	X	X	X		X
Light Duty Options	X	X	X		X
TRAVEL					
Narrow Aisles	X	X	X	X	X
Cross Docking (Dock to Dock)	X				
Dock to Stock (Dock to Storage)	X				

This brochure provides a general overview of how material handling equipment might be used in various applications. It is not intended as an instructional guide. Always refer to your equipment's official manual for detailed instructions, proper usage guidelines, and safety procedures specific to your machinery.

EQUIPMENT APPLICATIONS

ADDITIONAL TRUCKS



LINDE 5231 SERIES
ELECTRIC VERY NARROW AISLE TRUCK

Capacity	2,500 - 3,500 lbs
Lift Height	20 - 50 ft
Aisle Width	Fits in 5.5 ft Aisles

Best choice for most narrow to very narrow aisle warehouse applications



LINDE 1355 SERIES
ELECTRIC ORDER PICKER TRUCK

Capacity	3,000 lbs
Picking Heights Aisle	15 - 40 ft
Width	Fits in 7 ft Aisles

Best choice order picker or stock selector for most warehouse applications.



LINDE P60 SERIES
ELECTRIC TUGGER TRUCK

Towing Capacity	6-8 tons
AC Drive Motor	4.5 kW Sealed
Width	Fits in 7 ft Aisles

Best choice for most towing applications and warehouse and dock travel.

VNA/ORDER PICKER TRUCKS	Linde 5231	Linde 1355	Linde P60
Wholesale Distribution	X	X	X
Refrigerated Warehousing	X	X	X
Grocery/Specialty Retail	X	X	X
Food/Beverage Wholesale Goods	X	X	X
Fulfillment Center	X	X	X
Distribution Center	X	X	X
Durable Wholesale Goods	X	X	X
Non-Durable Wholesale Goods	X	X	X
Order Picking	X	X	
Dock Work			X
Warehousing/3PL	X	X	X
Rubber + Plastic Manufacturing	X		X
Agricultural			
CYCLES			
Heavy Duty Options	X	X	X
Light Duty Options	X	X	X
TRAVEL			
Narrow Aisles	X	X	X
Cross Docking (Dock to Dock)			X
Dock to Stock (Dock to Storage)			X

This brochure provides a general overview of how material handling equipment might be used in various applications. It is not intended as an instructional guide. Always refer to your equipment's official manual for detailed instructions, proper usage guidelines, and safety procedures specific to your machinery.

The background is a grayscale, blurred photograph of an office interior. It shows desks, computer monitors, and office chairs. A light gray grid pattern is overlaid on the entire image. In the center, the letters 'TW' are displayed in a bold, sans-serif font. The 'T' is red, and the 'W' is black.

TW